GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – M.A. & U.D. Department – Allegations of misappropriation of funds and unauthorized sub-letting and other irregularities in execution of sewerage works in Division Nos.5 and 8 of Hyderabad Metro Water Supply & Sewerage Board, Hyderabad under JNNURM – Disciplinary Proceedings instituted against Sri C. Vijay Kumar the then General Manager (E), Project Division-V, Hyderabad Metro Water Supply & Sewerage Board (HMWSSB), Hyderabad and presently working as Superintending Engineer, Kakinada Municipal Corporation, East Godavari District – Enquiry ordered - Appointment of Sri B.H.Srinivasa Rao, Superintending Engineer, P.H.Circle, Visakhapatnam as Presenting Officer in place of Sri P.Satyanarayana, Superintending Engineer, Guntur Municipal Corporation - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 252 **Dated: 18-03-2019.**
Read the following:-

1. G.O.Rt.No.1608, M.A. & U.D. (E2) Dept., dated 05.11.2013.
2. From Sri C. Vijay Kumar, the then General Manager (E), PD-V, HMWSSB and now presently working as Superintending Engineer, Kakinada Municipal Corporation, Kakinada, East Godavari District, written statement of defence dt:05.12.2013.
3. G.O.Rt.No.638, MA&UD (Vig.I) Dept., dated:04.07.2018.
4. G.O.Rt.No.639, MA & UD (Vig.I) Dept., dated 04.07.2018.
5. From Sri T.Anjaneyulu, Chief Engineer & Enquiry Officer, Infra-1, APCRDA., Vijayawada, letter No.APCRDA/VIJ/CE/INFRA-1/General/ 104, dated 10.01.2019.

* * *

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri C. Vijay Kumar the then General Manager (E), Project Division-V, Hyderabad Metro Water Supply & Sewerage Board (HMWSSB), Hyderabad and presently working as Superintending Engineer, Kakinada Municipal Corporation, East Godavari District on the allegations of misappropriation of funds and unauthorized sub-letting and other irregularities in execution of sewerage works in Division Nos.5 and 8 of Hyderabad Metro Water Supply & Sewerage Board, Hyderabad under JNNURM and orders were issued in the G.O.3rd read above, appointing Sri T.Anjaneyulu, Chief Engineer, Infra-1, APCRDA., Vijayawada as an Enquiry Officer to inquire into the charges framed against the above said official.

2. And whereas, it is considered that a Presenting Officer should be appointed to present the case before the Inquiring Authority on behalf of the disciplinary authority in support of the articles of charge.

3. And whereas, in the G.O.4th read above, orders were issued, appointing Sri P.Satyanarayana, Superintending Engineer, Guntur Municipal Corporation as Presenting Officer, to present the case before the Enquiry Officer on behalf of the Disciplinary Authority.

(P.T.O.)

4. And whereas, in the reference 5th read above, the Enquiry Officer has informed that, an enquiry has been called on 10.01.2019 at 03.00 P.M., in the Chamber of Chief Engineer, Infra-1, Engineering Section, APCRDA Office. The Presenting Officer Sri P.Satyanarayana was absent for the enquiry. It was learnt that Sri P.Satyanarayana, who worked as Superintending Engineer, Guntur Municipal Corporation is on leave for the past three (3) months. As whereabouts of Sri P.Satyanarayana is not known, the Enquiry Officer has requested the Government to appoint another Presenting Officer in place of Sri P.Satyanarayana, Superintending Engineer, Guntur Municipal Corporation.

5. Now therefore, the Disciplinary Authority, in exercise of powers conferred by clause (c) of sub-rule (5) of Rule 20 of the A.P. Civil Services (CC&A) Rules, 1991, hereby appoints Sri B.H.Srinivasa Rao, Superintending Engineer, P.H.Circle, Visakhapatnam as Presenting Officer in place of Sri P.Satyanarayana, Superintending Engineer, Guntur Municipal Corporation, to present the case before the Enquiry Officer on behalf of the Disciplinary Authority.

6. A copy of Articles of charges, written statement of defence of the charged officer are enclosed herewith. The Presenting Officer shall obtain any other connected records/ material in the above case, from the Office of the Engineer-in-Chief, Public Health, A.P., Guntur, and present the case before the Enquiry Officer on behalf of the Disciplinary Authority.

7. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri. B.H.Srinivasa Rao, Superintending Engineer & Presenting Officer,
P.H.Circle, Visakhapatnam **through** the Engineer-in-Chief, Public Health,
A.P., Guntur.
Sri P.Satyanarayana, Superintending Engineer, Guntur Municipal
Corporation **through** the Engineer-in-Chief, Public Health,
A.P., Guntur.
Sri.T.Anjaneyulu, Chief Engineer & Enquiry Officer, Infra-1, APCRDA.,
Vijayawada **through** the Engineer-in-Chief, Public Health, A.P., Guntur.
Sri C.Vijay Kumar, Superintending Engineer, Kakinada Municipal
Corporation, East Godavari District **through** the Engineer-in-Chief,
Public Health, A.P., Guntur.
The Engineer-in-Chief, Public Health, A.P., Guntur.

Copy to:

The Commissioner, Kakinada Municipal Corporation, East Godavari District.
The Secretary to A.P.Vigilance Commission, 5th Building, A.P.Secretariat.
SF/SCs.

//FORWARDED::BY ORDER//

SECTION OFFICER